



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/975,094	10/10/2001	Martin Langhammer	ALTRP062/A603	7694
51501	7590	12/31/2007		
BEYER WEAVER LLP ATTN: ALTERA P.O. BOX 70250 OAKLAND, CA 94612-0250			EXAMINER CALLAHAN, PAUL E	
			ART UNIT 2137	PAPER NUMBER
			MAIL DATE 12/31/2007	DELIVERY MODE PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary

Application No.

09/975,094

Applicant(s)

LANGHAMMER ET AL.

Examiner

Paul Callahan

Art Unit

2137

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 31 October 2007.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-15 and 17-32 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☒ Claim(s) 1-13 and 15 is/are allowed.
- 6) ☒ Claim(s) 14, 17-32 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. _____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on October 31, 2007 has been entered.

2. Claims 1-15 and 17-32 are pending in the instant application and have been examined.

Response to Arguments

3. Applicant's arguments filed June 15, 2007 have been fully considered but they are not fully persuasive.

The Applicant argues that Albrecht fails to teach the newly added limitation, recited by the independent claims, of user logic that includes functions associated with a user design for implementation on the user device. The Examiner counters that Albrecht does indeed teach this feature at, for example col. 2 lines 54-56: where BOIS configuration data is written and subsequently implemented on user logic in the form of a computer processor: col. 3 lines 47-49.

Claim Rejections - 35 USC § 102

4. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

5. Claims 14, 17, 18, 23, and 32 are rejected under 35 U.S.C. 102(b) as being clearly anticipated by Albrecht et al. US 5,835,594.

As for claim 14, Albrecht teaches a method for controlling use of configuration data (abstract: write data, fig. 7: element 306: write data, col. 4 lines 18-21) comprising: programming a configurable device using the configuration data provided by a secure device (col. 3 lines 32-43: "...creation of an electronic signature and associating it with write data..." This reads on configuration data created by a secure device, fig. 7: element 306: "write data", col. 4 lines 18-21: col. 2 lines 54-55: BIOS updates reads on configuration data), the configuration data associated with an intellectual property block for implementation using user logic on the configurable device, wherein the user logic includes functions associated with a user design for implementation on the configurable device (col. 2 lines 54-56: BOIS configuration data is written, this BIOS is implemented on user logic in the form of a computer processor: col. 3 lines 47-49), disabling user logic provided for implementation of the configuration data after it is loaded onto the configurable device (col. 4 lines 25-30: the FLASH memory is write disabled); generating a configurable device authorization code using the configurable device

sequence generator (col. 2 lines 60-67: a reference digest of the configuration data is generated and signed. The digest is later used for authorizing the writing of configuration data to FLASH memory: this reads on an authorization code); generating a first sequence in a secure device sequence generator in the secure device (col. 2 lines 43-51: a reference digest of the write data is calculated and signed, the reference digest is later used in an authorization function); encrypting the first sequence in an encryptor in the secure device to generate a second sequence (fig. 1 element 108: the reference digest is encrypted in the secure device, col. 2 lines 43-51, the reference digest is signed, i.e., encrypted under a private key); transmitting the second sequence to the decryptor in the configurable device (col. 3 lines 1-5, fig. 2 element 116: Decryption Function: the configurable device decrypts the signed reference digest received from the secure device); decrypting the second sequence to generate a third sequence (col. 3 lines 1-5, fig. 2 element 116: Decryption Function: the configurable device decrypts the signed reference digest received from the secure device); comparing the secure device authorization code and the configurable device authorization code (col. 3 lines 6-9: the decrypted reference digest and the newly calculated reference digest are compared); and enabling the user logic if the configurable device authorization code corresponds to the secure device authorization code (col. 3 lines 12-14: A secure write function is enabled in the configurable device if the comparison is successful).

As for claim 17, the claim is directed towards the apparatus that carries out the method of claim 14. Claim 17 recites substantially the same limitations as claim 14 and is thereby rejected on the same basis as is that claim.

As for claim 18, Albrecht teaches the system of Claim 17, and the additional steps wherein: the configurable device generator comprises a sequence generator in the configurable device (col. 3 lines 1-3: the configurable device generates a new copy of the reference digest which reads on a sequence generator); and the secure device generator comprises: a sequence generator in the secure device (col. 2 lines 45-51: the secure device generates a reference digest of the write data: this reads on a sequence generator); an encryptor coupled to the secure device sequence generator and configured to encrypt a first sequence generated by the secure device sequence generator to generate a second sequence (col. 2 lines 47-49: the secure device "signs" the reference digest by encrypting it under its private key); and a decryptor in the configurable device (col. 3 lines 3-7: the configurable device decrypts the signed reference digest received from the secure device), the decryptor coupled to the encryptor and configured to decrypt the second sequence (col. 3 lines 3-7: the configurable device decrypts the signed reference digest received from the secure device) to generate a third sequence and to transmit the third sequence as the secure device authorization code to the first input of the comparator (col. 3 lines 3-6: "comparison function").

As for claim 23, Albrecht teaches the system of claim 17, and the additional steps wherein: the configurable device authorization code generator comprises a sequence generator in the configurable device (col. 3 lines 1-3: the configurable device generates a new reference digest, this reads on a sequence generator); and the secure device authorization code generator comprises a sequence generator in the secure device (col. 2 lines 51-59: a reference digest is generated in the secure device).

As for claim 32, Albrecht teaches the system of Claim 17, and the additional steps wherein: the secure device authorization code generator comprises a sequence generator in the secure device configured to generate a first sequence as the secure device authorization code (col. 2 lines 51-59); and the configurable device authorization code generator comprises: an encryptor in the secure device, the encryptor configured to receive and encrypt the first sequence to generate a second sequence (col. 2 lines 51-59: the secure device generates a reference digest and then encrypts it under a private key before sending it to the configurable device); and a decryptor in the configurable device, the decryptor configured to receive and decrypt the second sequence to generate a third sequence (col. 3 lines 3-7) and to transmit the third sequence as the configurable device authorization code to the comparator (col. 3 lines 3-7).

Claim Rejections - 35 USC § 103

6. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

7. Claims 28-31 are rejected under 35 U.S.C. 103(a) as being unpatentable over Albrecht et al. US 5,835,594, and Shona, US 5,799,085.

As for claims 28 and 29, Albrecht teaches the system of Claim 17 wherein: the configurable device authorization code generator comprises a sequence generator in the configurable device configured to generate a first sequence as the configurable device authorization code (col. 3 lines 1-3); and the secure device authorization code generator comprises: an encryptor in the secure device (col. 2 lines 51-59), a decryptor (col. 3 lines 3-6) and a comparator (col. 3 lines 5-9: "comparison function"). However Albrecht does not further teach a sequence generator in the configurable device that is a pseudo-random number generator, or teach an encryptor in the secure device that is configured to receive and encrypt the first sequence to generate a second sequence and wherein the configurable then receives and decrypts the second sequence from the secure device in order to generate a third sequence and to transmit the third sequence as the secure device authorization code to the comparator. However Shona does teach these features (col. 5 lines 15-25). Therefore it would have been obvious to one of ordinary skill in the art at the time of the invention to incorporate these features of

Art Unit: 2137

Shona into the system of Albrecht. Motive to make this combination is found, for example in col. 1 lines 24-29 of Albrecht, where denial of unauthorized access to secure memory is discussed. Use of the terminal authentication challenge-response protocol of Shona would increase the difficulty of unauthorized access to secure memory.

As for claim 30, the combination of Albrecht and Shona does not teach the use of an SRAM PLD. However Official Notice may be taken that the use of such memory in a PLD is a step that is old and well known in the art. Therefore it would have been obvious to one of ordinary skill in the art at the time of the invention to incorporate this feature into the system of Albrecht. It would have been advantageous to do so since the use of such memory would eliminate the need for continual refreshes in order to keep the memory intact.

As for claim 31, the combination of Albrecht and Shona does not teach the use of an EEPROM PLD. However Official Notice may be taken that the use of such memory in a PLD is a step that is old and well known in the art. Therefore it would have been obvious to one of ordinary skill in the art at the time of the invention to incorporate this feature into the system of Albrecht. It would have been advantageous to do so since the use of such memory would allow for rapid updating and long-term storage of the configuration data.

8. Claims 19-22 and 24-27 are rejected under 35 U.S.C. 103(a) as being unpatentable over Albrecht and Schrenk, US 5,889,266.

As for claims 20 and 25, the combination of Albrecht and Schrenk does not teach the use of an SRAM PLD. However Official Notice may be taken that the use of such memory in a PLD is a step that is old and well known in the art. Therefore it would have been obvious to one of ordinary skill in the art at the time of the invention to incorporate this feature into the system of Albrecht. It would have been advantageous to do so since the use of such memory would eliminate the need for continual refreshes in order to keep the memory intact.

As for claims 21 and 26, the combination of Albrecht and Schrenk does not teach the use of an EEPROM PLD. However Official Notice may be taken that the use of such memory in a PLD is a step that is old and well known in the art. Therefore it would have been obvious to one of ordinary skill in the art at the time of the invention to incorporate this feature into the system of Albrecht. It would have been advantageous to do so since the use of such memory would allow for rapid updating and long-term storage of the configuration data.

As for claim 24, Albrecht teaches the method of claims 2 and 17, but not the additional steps wherein the pseudo-random number generator in the secure device is a duplicate of the pseudo-random number generator in the configurable device and both

Art Unit: 2137

pseudo-random number generators are seeded using the same seed. However, Schrenk does teach this feature (col. 6 lines 64-67, col. 7 lines 1-14). Therefore it would have been obvious to one of ordinary skill in the art at the time of the invention to incorporate these features into the system of Albrecht. It would have been desirable to do so since this seeding of identical pseudo-random number generators would allow authentication of the secure device (terminal), in addition to authentication / authorization of the write data, would provide an additional layer of security on preventing unauthorized access to the configurable device memory.

As for claims 19, 22 and 27, Albrecht teaches the method of claims 6 and 18, but not the additional steps wherein the pseudo-random number generator in the secure device is a duplicate of the pseudo-random number generator in the configurable device and both pseudo-random number generators are seeded using the same seed. However, Schrenk does teach the use of such identical pseudorandom number generators to calculate a first sequence in a configurable device, and generation of an identical pseudorandom number in the secure device (col. 6 lines 64-67, col. 7 lines 1-14). Therefore it would have been obvious to one of ordinary skill in the art at the time of the invention to incorporate these features into the system of Albrecht. It would have been desirable to do so since this authentication of the terminal, in addition to authentication / authorization of the write data, would provide an additional layer of security on preventing unauthorized access to the configurable device memory.

Allowable Subject Matter

9. Claims 1-13 and 15 are allowed.

Conclusion

10. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Paul E. Callahan whose telephone number is (571) 272-3869. The examiner can normally be reached on M-F from 9 to 5.

If attempts to reach the examiner by telephone are unsuccessful, the Examiner's supervisor, Emmanuel Moise, can be reached on (571) 272-3865. The fax phone number for the organization where this application or proceeding is assigned is: (571) 273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



/Paul Callahan/

December 20, 2007



EMMANUEL L. MOISE
SUPERVISORY PATENT EXAMINER